



GP068.05.cn3.ST25

SEQUENCE LISTING

<110> Becker, Michael M.  
Majlëssi, Mehrdad  
Brentano, Steven T.

<120> Modified Oligonucleotides and Methods for Determining the  
Presence of a Nucleic Acid Analyte in a Sample

<130> GP068-05.CN3

<140> 09/808,558  
<141> 2001-03-14

<150> 09/565,427  
<151> 2000-05-05

<150> 08/893,300  
<151> 1997-07-15

<150> 60/021,818  
<151> 1996-07-16

<160> 11

<170> PatentIn version 3.2

<210> 1  
<211> 26  
<212> DNA  
<213> Escherichia coli

<400> 1  
atgttggtt aagtcctgca acgagc 26

<210> 2  
<211> 26  
<212> DNA  
<213> Escherichia coli

<400> 2  
gttcgttgcg ggacttaacc caacat 26

<210> 3  
<211> 26  
<212> RNA  
<213> Artificial

<220>  
<223> Escherichia coli target-complementary probe sequence

<220>  
<221> misc\_feature  
<222> (1)..(26)  
<223> 2'-O-methyl ribonucleotides

<400> 3  
gcucguugcg ggacuaaacc caacau 26

<210> 4  
 <211> 26  
 <212> DNA  
 <213> Artificial

<220>  
 <223> Escherichia coli target-complementary probe sequence

<220>  
 <221> misc\_feature  
 <222> (1)..(12)  
 <223> 2'-O-methyl ribonucleotides

<220>  
 <221> misc\_feature  
 <222> (13)..(20)  
 <223> deoxyribonucleotides

<220>  
 <221> misc\_feature  
 <222> (21)..(26)  
 <223> 2'-O-methyl ribonucleotides

<400> 4  
 gcucguugcg ggacttaacc caacau

26

<210> 5  
 <211> 26  
 <212> DNA  
 <213> Artificial

<220>  
 <223> Escherichia coli target-complementary probe sequence

<220>  
 <221> misc\_feature  
 <222> (1)..(12)  
 <223> deoxyribonucleotides

<220>  
 <221> misc\_feature  
 <222> (13)..(20)  
 <223> 2'-O-methyl ribonucleotides

<220>  
 <221> misc\_feature  
 <222> (21)..(26)  
 <223> deoxyribonucleotides

<400> 5  
 gtcggttgcg ggacuuaacc caacat

26

<210> 6  
 <211> 26  
 <212> DNA  
 <213> Artificial

<220>  
 <223> Escherichia coli target-complementary probe sequence

<220>  
 <221> misc\_feature  
 <222> (1)..(8)  
 <223> deoxyribonucleotides

<220>  
 <221> misc\_feature  
 <222> (9)..(24)  
 <223> 2'-O-methyl ribonucleotides

<220>  
 <221> misc\_feature  
 <222> (25)..(26)  
 <223> deoxyribonucleotides

<400> 6  
 gctcgttgcg ggacuuaacc caacat 26

<210> 7  
 <211> 26  
 <212> RNA  
 <213> Escherichia coli

<400> 7  
 gcucguugcg ggacuuaacc caacau 26

<210> 8  
 <211> 26  
 <212> RNA  
 <213> Artificial

<220>  
 <223> Synthetic construct containing base sequence present in  
 Escherichia coli

<220>  
 <221> misc\_feature  
 <222> (1)..(26)  
 <223> 2'-O-methyl ribonucleotides

<400> 8  
 auguuggguu aagucccgca acgagc 26

<210> 9  
 <211> 26  
 <212> RNA  
 <213> Escherichia coli

<400> 9  
 auguuggguu aagucccgca acgagc 26

<210> 10  
 <211> 26  
 <212> DNA  
 <213> Artificial

<220>  
 <223> Escherichia coli target-complementary probe sequence

<220>  
 <221> misc\_feature  
 <222> (1)..(15)  
 <223> deoxyribonucleotides

<220>  
 <221> misc\_feature  
 <222> (16)..(17)  
 <223> 2'-O-methyl ribonucleotides

<220>  
 <221> misc\_feature  
 <222> (18)..(26)  
 <223> deoxyribonucleotides

<400> 10  
 gctcgttgcg ggactuaacc caacat

26

<210> 11  
 <211> 26  
 <212> DNA  
 <213> Artificial

<220>  
 <223> Escherichia coli target-complementary probe sequence

<220>  
 <221> misc\_feature  
 <222> (1)..(14)  
 <223> deoxyribonucleotides

<220>  
 <221> misc\_feature  
 <222> (15)..(18)  
 <223> 2'-O-methyl ribonucleotides

<220>  
 <221> misc\_feature  
 <222> (19)..(26)  
 <223> deoxyribonucleotides

<400> 11  
 gctcgttgcg ggacuuaacc caacat

26